

**REMARKS**


The Examiner rejects claims 19-21 under 35 U.S.C. § 102(a) based on an Acid Free printout from [www.walgreens.com](http://www.walgreens.com) ("Acid Free Printout"). Applicant respectfully requests that the rejection be withdrawn and that the claims be allowed to issue.

Applicant has amended claims 19, 20, and 21 to recite that the device of those claims describes the medicine in a prescription medicine receptacle. Given that the Acid Free Printout is not directed to prescription medicine or medicine receptacle, Applicant respectfully suggests that the § 102 rejection be withdrawn.

Newly added claims 22-26 are directed to an icon for marking a prescription medicine container wherein the second side has only a non-textual, descriptive graphic that conveys the type of prescription medicine within the prescription medical container. Given that the Acid Free Printout is not directed to prescription medicine or medicine receptacle, Applicant respectfully suggests that claims 22-26 are allowable. Additionally, claim 22 recites that the second side have only the non-textual descriptive graphic, whereas the Acid Free Printout label contains text.

For the foregoing reasons, Applicant respectfully suggests that claims 19-26 are in condition for allowance, which action is respectfully suggested.

Respectfully submitted,



---

Jonathan M. Pierce  
Reg. No. 42,073  
Conley Rose, P.C.  
P. O. Box 3267  
Houston, Texas 77253-3267  
(713) 238-8000  
ATTORNEY FOR APPLICANT